MODEL 870

You might say the Model 870 is the most popular pump action shotgun in the world today. More of of them have been sold than any other pump action shotgun... over 3 million, in fact. That's because shooters have found the Model 870 "Wingmaster" gives them everything they want in a pump gun. It's lightning fast, silky smooth, completely reliable no matter what the conditions, lightweight and durable. The Model 870 is the complete pump action shotgun.

The features that have made the Model 870 so popular include a machined and vibra-honed steel receiver and vibra-honed action parts to minimize friction, double action bars to prevent twisting which causes binding, easily interchangeable extra barrels and handsomely checkered American walnut stock and full beavertail fore-end. The selection is complete, so you can choose the Model 870 "Wingmaster" that's right for your requirements.



FIELD GRADE

Model 870 3″ Magnum: 12, 20 gauge.
Model 870: 12, 16 and 20 gauge.
Model 870 "Brushmaster" Deluxe Deer Gun: 12 and 20 gauge, 20 gauge Lightweight.
Model 870: 20 gauge Lightweight and 3″ Magnum Lightweight.
Model 870: 28 gauge and .410 bore.

Model 870 3″ Magnum: 12, 20 gauge. Handles all 2¾″ and 3″ shells including magnums. Available in left-hand ventilated rib barrel model.

Model 870: 12, 16 and 20 gauge. Choice of barrel lengths, chokes and extra barrels including a 12 gauge 34″ duck/goose barrel. Left-hand: 12, 20 gauge.

Model 870 "Brushmaster" Deluxe Deer Gun: 12, 20 and 20 gauge Lightweight. Deluxe and standard models; 12 gauge standard has plain stock and grooved fore-end. Rifle sights.

Model 870: 20 gauge Lightweight and 3″ Magnum Lightweight. Magnum handles all 3″ and 2¾″ shotgun shells including magnums. American walnut stock and fore-end.

Model 870: 28 gauge and .410 bore. Lighter weight small gauges with all of the Model 870 features. American walnut stock and fore-end.

FEATURES

Stock and Fore-end. American walnut with durable Du Pont RK-W wood finish.

Receiver. Machined from solid steel. Matte-finish top. Vibra-honed for smoother operation and finish. Lightweight 20, 28 gauges and .410 bore have scaled-down receivers.

Barrel. Special Remington proof steel. Extra barrels are interchangeable within versions (right- or left-hand), gauge and chamber length. Lightweight barrels interchangeable only on Lightweight models.

Sights. Metal bead front sight.

Safety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 2¾″ in standard field guns except .410 bore. Magnum models and .410 bore field guns have 3″ chamber.

Capacity. 5-shot, 3-shot plug furnished. 4-shot capacity for 3″ shells in .410 bore.

ORDER NUMBERS & SPECIFICATIONS—MODEL 870

	Barrel Length & Choke	2¾″ Chamber			3″ Chamber	
		Plain Barrel	Vent Rib (R-H)	Vent Rib (L-H)	Plain Barrel	Vent Rib
12 ga.	30″ Full	6900	6930	5510	6966	6976†
	30″ Mod.	—	—	—	6968	6978
	28″ Full	6902	6932	—	—	—
	28″ Mod.	6904	6934	5514	—	—
	26″ Imp. Cyl.	6906	6936	5516	—	—
		Deer Gun				
	20″ Imp. Cyl.	6960 Deluxe with rifle sights "Brushmaster" 5026 Standard with rifle sights				
16 ga.	28″ Full	6908	6938	—	—	—
	28″ Mod.	6910	6940	—	—	—
	26″ Imp. Cyl.	6912	6942	—	—	—
Std. 20 ga.	28″ Full	6914	6944	5528	6970	6980
	28″ Mod.	6916	6946	5530	6972	6982
	26″ Imp. Cyl.	6918	6948	5566	—	—
	20″ Imp. Cyl.	6962 "Brushmaster" Deer Gun with rifle sights				
LTWT 20 ga.	28″ Full	5176	5182	—	5188	5190
	28″ Mod.	5178	5184	—	—	—
	26″ Imp. Cyl.	5180	5186	—	—	—
	20″ Imp. Cyl.	5192 "Brushmaster" Deer Gun with rifle sights				
28 ga.	25″ Full	4868	4918	—	—	—
	25″ Mod.	4904	4920	—	—	—
	25″ Imp. Cyl.	4916	4932	—	—	—
.410 bore	25″ Full	—	—	—	4948	4986
	25″ Mod.	—	—	—	4950	5086
	25″ Imp. Cyl.	—	—	—	4978	4990
		Model 870 Police				
12 ga.	20″ Police Cyl.	5030	—	—	—	—
	18″ Police Cyl.	5032	—	—	—	—
	20″ Imp. Cyl.	5028 Rifle sights				

D Tournament Grade—Special

F Premier Grade—Special

F Premier Grade with gold inlay—Special

Nominal Stock Dimensions: 14″ long including recoil pad, 2½″ drop at heel, 1⅝″ drop at comb.

Over-all Length: 48½″ with 28″ barrel, 46½″ with 26″ barrel, 45½″ with 25″ barrel in 28 gauge and .410 bore.

Average Weight: 12 ga.—7 lbs., 16 ga.—6¾ lbs., 20 ga.—6½ lbs., 20 ga. Lightweight—5¾ lbs., 20 ga. Lightweight Magnum—6 lbs., 20 ga. Lightweight plain barrel—5½ lbs., 28 ga. vent rib—5¾ lbs., .410 bore plain barrel—6 lbs., .410 bore vent rib—6¼ lbs.

Extra Barrels: See page 10. †Left-hand Model No. 5496

MODELS 1100/870/3200

NEW Model 1100 TA Trap: 12 gauge.

NEW Model 1100 Tournament Trap: 12 gauge.

NEW Model 1100 Tournament Skeet: 12 gauge; LT-20, 20 gauge.

NEW Model 1100 Tournament Skeet: 28 gauge, .410 bore.

Model 1100 SA Skeet: 12, 20 gauge; LT-20, 20 gauge. 28 gauge, .410 bore.

Model 870 SA Skeet: 12, 20, 28 gauge, .410 bore.

Model 870 TB Trap: 12 gauge.

Model 870 TA Trap: 12 gauge.

Model 870 TC Trap: 12 gauge.



Remington 3200 Competition Trap: 12 gauge.

Remington 3200 Competition Skeet: 12 gauge.

NEW Model 1100 TA Trap. Right- or left hand models in regular or Monte Carlo stocks. NEW checkering pattern and receiver scroll design.

NEW Model 1100 Tournament Trap. NEW positive cut checkering, receiver scroll design and deep, rich blueing. Select American walnut stock and fore-end. Regular or Monte Carlo stocks.

Model 1100 Tournament Skeet. Specially selected American walnut stock and fore-end with cut checkering. NEW Receiver scroll design. A new grade of the big winner.

Model 1100 Tournament Skeet. NEW grade of smaller gauge skeet guns with NEW, higher ventilated rib for better sight plane. NEW receiver scroll design.

Model 1100 SA Skeet. A family of four skeet guns (four gauges) for the competitive skeet shooter. All with NEW receiver scroll design.

Model 870 SA Skeet. A family of skeet guns in all four gauges.

Model 870 TB Trap. Choice of regular or Monte Carlo stock in right- or left-hand versions.

Model 870 TA Trap. A modest price tag on a super-dependable, durable trap gun. Ideal for the new or casual shooter.

Model 870 TC Trap. Highly figured American walnut stock and fore-end. Positive-cut checkering. Pride of ownership for the discriminating trapshooter.

Remington 3200 Competition Trap. A trap gun of the highest order. Offered with optional Monte Carlo stock dimensio

Remington 3200 Competition Skeet. One of the finest over-and-unders you can shoot, and it's made and serviced in America.

MODEL 1100—TRAP & SKEET SHOTGUNS
FEATURES

Stock and Fore-end. Rich American walnut with durable DuPont RK-W wood finish. NEW checkering pattern. Tournament guns have positive cut checkering and select wood.

Receiver. Machined from solid steel. Matte-finish top. Deep blue finish. NEW scrollwork design on both sides. Chrome-plated bolt.

Barrel. Ventilated rib only. High step-up rib on trap grades. NEW high rib on LT-20, 20 gauge; 28 ga., .410 bore to better match 12 ga. 1100 skeet guns. Special Remington proof steel. Deep blue finish. Extra barrels are interchangeable within versions (right- or left-hand), gauge and chamber lengths. Lightweight within chamber length only on Lightweight models.*

Sights. Ivory bead front, white-metal middle.

Safety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 2¾"; 2½" in .410 bore.

*LT-20, 20 gauge Lightweight barrels (4400 series) will not fit pre-1977 20 gauge Lightweight or regular 20 gauge Model 1100 shotguns. (Refer to parts list for pre-1977 barrels.)

ORDER NUMBERS & SPECIFICATIONS—MODEL 1100 TRAP, 12 GAUGE

	Barrel Length & Choke	Standard Trap Stock	Monte Carlo Stock
TA Grade	30" Full	5446 5454 L-H	5450 5456 L-H
	30" Mod. Trap	5448	5452
Tournament Grade	30" Full	5588	5592
	30" Mod. Trap	5590	5594

D Tournament Grade (engraved)—Special order.

F Premier Grade (engraved)—Special order.

Nominal Stock Dimensions (with recoil pad): **Regular Stock:** 14⅜" long, 1¾" drop at heel, 1⅜" drop at comb. **Monte Carlo:** 14⅜" long, 1⅞" drop at heel, 1⅜" drop at comb. 1⅜" drop at Monte Carlo.

Average Weight: 8¼ lbs.

ORDER NUMBERS & SPECIFICATIONS—MODEL 1100 SKEET

	Barrel Length & Choke	SA Grade	Tournament Grade
12 ga.	26" Skeet	5356 5564 L-H	5304
Std. **20** ga.	26" Skeet	5408	—
LT-20 **20** ga.	26" Skeet	5244	5226
28 ga.	25" Skeet	5432	5282
.410 bore	25" Skeet	5298	5300

D Tournament Grade (engraved)—Special order

F Premier Grade (engraved)—Special order.

Nominal Stock Dimensions: 14" long, 2½" drop at heel, 1½" drop at comb.

Average Weight: 12 ga.—7¾ lbs.; Std. 20 ga.—7½ lbs.; LT-20, 20 ga.—6¾ lbs.; 28 ga.—6¾ lbs.; .410 bore—7¼ lbs.

Extra Barrels: See Page 10.

MODEL 870 TRAP & SKEET SHOTGUNS
FEATURES

Stock & Fore-end. Rich American walnut with the durable DuPont RK-W wood finish. Full beavertail fore-end. Positive cut checkering on TC and SC grades.

Receiver. Machined from solid steel. Matte-finish top. Deep blue finish. Chrome-plated bolt.

Barrel. Ventilated rib only. Special Remington proof steel. Extra barrels are interchangeable within versions (left- or right-hand), gauge and chamber lengths.

Sights. Ivory bead front, white-metal middle.

Safety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 2¾"; 2½" in .410 bore only.

ORDER NUMBERS & SPECIFICATIONS—MODEL 870 TRAP, 12 GAUGE

	Barrel Length & Choke	Standard Trap Stock	Monte Carlo Stock
TA Grade	30" Full	5046	5050
	30" Mod. Trap	5048	5052
TB Grade	30" Full	4926 5518 L-H	4906 5520 L-H
	30" Mod. Trap	5006	5034
TC Grade	30" Full	5060	5064

D Tournament Grade (engraved)—Special order.

F Premier Grade (engraved)—Special order.

Nominal Stock Dimensions (with recoil pad). **Regular Stock:** 14⅜" long, 1⅞" drop at heel, 1⅜" drop at comb. **Monte Carlo:** 14⅜" long, 1⅞" drop at heel, 1⅜" drop at comb. 1⅜" drop at Monte Carlo. **Average Weight:** 7¾ lbs.

ORDER NUMBERS & SPECIFICATIONS—MODEL 870 SKEET

	Barrel Length & Choke	SA Grade	SC Grade (Fancy Wood)
12 ga.	26" Skeet	6988	5136
20 ga.	26" Skeet	6992	5140
28 ga.	25" Skeet	4934	
.410 bore	25" Skeet	4996	

D Tournament Grade (engraved)—Special order.

F Premier Grade (engraved)—Special order.

Match Weight Skeet Cap No. 6336 for small gauge Model 870 adds up to 12 oz.

Nominal Stock Dimensions with recoil pad (28 gauge and .410 bore do not have recoil pad): 14" long, 2½" drop at heel, 1⅝" drop at comb.

Average Weight: 12 ga.—7 lbs., 20 ga.— 6½ lbs., 28 ga.—6 lbs., .410 bore—6½ lbs. (Adjustable weight will add up to 12 oz. in skeet guns.) **Extra Barrels:** See Page 10.

3200 OVER-AND-UNDER SHOTGUNS
FEATURES

Stock and Fore-end. Specially selected fancy walnut stock and fore-end on Competition grades. Special Trap select grade wood. Cut checkering, 20 lines to the inch. Full beavertail fore-end. Satin finish standard on Competition grade guns. DuPont RK-W high gloss wood finish on standard skeet and Special Trap grades. Optional 1⅜" or 1½" drop on Monte Carlo stocks in Competition Trap grade guns. All with recoil pad.

Frame. Machined steel with sliding top lock. Shield-covered breech. Hammers cock on opening. Sides richly embellished.

Ejection. Automatic. Fired shells eject on opening. Unfired shells remain in chamber but are raised above chamber level for easy manual extraction.

Safety and Barrel Selector. Combination manual safety and barrel selector mounted on top tang. Left for bottom barrel; right for top barrel; middle position for safety on.

Trigger. Single selective, 5/16" wide. Crisp with extra-fast lock time.

Sights. Ivory bead front, white-metal middle.

ORDER NUMBERS & SPECIFICATIONS—3200 TRAP, 12 GAUGE

	Special Trap RK-W Wood Finish		Competition Trap Satin Finish	
Barrel Length & Choke	Reg. Stock	Monte Carlo	Reg. Stock	Monte Carlo
32" Imp. Mod./Full	3225	3231	3283	3289 3297*
30" Imp. Mod./Full	3229	3235	3287	3293 3295*
30" Full/Full	—	—	3285	3291

Nominal Stock Dimensions: 14⅜" long, 2" drop at heel, 1½" drop at comb, 1½" drop at Monte Carlo **Over-all Length:** 48" with 30" barrels and recoil pad.

Average Weight: 8¼ lbs. for guns with 30" barrels. *1⅜" drop at comb.

ORDER NUMBERS & SPECIFICATIONS—3200 SKEET, 12 GAUGE

Barrel Length & Choke	Skeet RK-W Wood Finish	Competition Skeet Satin Finish
28" Skeet/Skeet	3209	3237
26" Skeet/Skeet	3211	3239
NEW 28" Imp. Mod./Full (Live Bird Gun)		3207

Nominal Stock Dimensions: 14" long, 2⅛" drop at heel, 1½" drop at comb.

Over-all Length: Skeet—45⅝" with 28" barrels.

Average Weight: 8 lbs. with 28" barrels.

EXTRA BARRELS


Model 1100 12 ga. 34″ ventilated rib duck/goose barrel. Full choke.
Model 1100 12 ga. 28″ ventilated rib barrel. Modified choke.
Model 1100 12 ga. 26″ ventilated rib barrel. Improved Cylinder.
Model 1100 12 ga. 22″ deer barrel with rifle sights.
Model 870 12 ga. 34″ ventilated rib duck/ goose barrel. Full choke.
Model 870 12 ga. 28″ ventilated rib barrel. Modified Choke.
Model 870 12 ga. 26″ ventilated rib barrel. Improved Cylinder.
Model 870 12 ga. 20″ deer barrel with rifle sights.

You can add to the usefulness and versatility of your Model 1100 or 870 with any of the available extra barrels. Use your target shotgun in the field, and vice versa, by simply changing the barrel. It's easy to do and there are many from which to choose. There are left-hand extra barrels for the left-hand versions of these fine shotguns, too. However, you must match the barrel to the correct receiver—left to left, right to right—and within gauges. Extra interchangeable 2¾″ chambered barrels, available for the 3″ Magnum models, will handle all 2¾″ shotgun shells.

MODEL 1100 EXTRA BARRELS

FIELD GRADE	12 Ga.	16 Ga.	LT-20 20 Ga.*	28 Ga.	.410
Extra Barrels, PLAIN			Order Nos.		
30″ Full choke	9500				
28″ Full Choke	9502	9530	4440*		
25″ Full Choke				9588	9574
28″ Mod. Choke	9504	9532	4442*		
25″ Mod. Choke				9510	9576
26″ Imp. Cyl. Choke	9508	9536	4444*		
25″ Imp. Cyl. Choke				6584	9578
Extra Barrels, Rifle Sights, Deer					
22″ Imp. Cyl.	9568				
20″ Imp. Cyl.			4438*		
Extra Barrels, VENT RIB Duck/Goose					
34″ Full Choke	6576				
Extra Barrels, VENT RIB					
30″ Full Choke	9512				
28″ Full Choke	9514	9538	4446*		
25″ Full Choke				6586	9580
28″ Mod. Choke	9516	9540	4448*		
25″ Mod. Choke				6588	9582
26″ Imp. Cyl. Choke	9520	9544	4450*		
25″ Imp. Cyl. Choke				6590	9584
LEFT-HAND Extra Barrels, VENT RIB					
30″ Full Choke	5682				
28″ Mod. Choke	5684				
26″ Imp. Cyl. Choke	5686				
Extra Barrels, High Grade					
D Tournament, Vent Rib (engraved)—Special order					
F Premier, Vent Rib (engraved)—Special order					

TRAP	12 Ga.
Extra Barrels, VENT RIB, Trap	
34″ Full Choke	9610
30″ Full Choke	9612
28″ Full Choke	9616
30″ Mod. Trap Choke	9614
28″ Mod. Trap Choke	9618
Extra Barrels, High Grade	
D Tournament (engraved)	Special order
F Premier (engraved)	Special order

SKEET	12 Ga.	Std. 20 Ga.	LT-20 20 Ga.*	28 Ga.	.410
Extra Barrels, VENT RIB, Skeet					
26″ Skeet Choke	9522	9562	4452*		
25″ Skeet Choke				6592	9586
Extra Barrels, High Grade					
D Tournament (engraved)			Special order		
F Premier (engraved)			Special order		

LEFT-HAND—VENT RIB, Trap & Skeet	12 Ga.
30″ Full Choke Trap	9620
26″ Skeet Choke	5688

*Note: LT-20, 20 gauge Lightweight barrels (4400 Series) will not fit pre-1977 20 gauge Lightweight or standard 20 gauge Model 1100 shotguns. (Refer to parts list for pre-1977 barrels.)

MODEL 870 "WINGMASTER" EXTRA BARRELS

FIELD GRADE	12 Ga.	16 Ga.	20 Ga. Std.	20 Ga. Ltwt.	28 Ga.	.410
Extra Barrels, PLAIN			Order Nos.			
30″ Full Choke	6214					
28″ Full Choke	6216	6252	6270	6296*		
25″ Full Choke					6282	6236
28″ Mod. Choke	6218	6254	6272	6298*		
25″ Mod. Choke					6284	6238
26″ Imp. Cyl. Choke	6220	6256	6274	6300*		
25″ Imp. Cyl. Choke					6286	6248
Extra Barrels, Rifle Sights, Deer						
20″ Imp. Cyl	6544		6230	4524*		
Extra Barrels, VENT RIB, Duck/Goose						
34″ Full Choke	6304					
Extra Barrels, VENT RIB						
30″ Full Choke	6222					
28″ Full Choke	6224	6258	6276	6322*		
25″ Full Choke					6288	6250
28″ Mod. Choke	6226	6260	6278	6324*		
25″ Mod. Choke					6290	6264
26″ Imp. Cyl. Choke	6228	6262	6280	6326*		
25″ Imp. Cyl. Choke					6292	6266
LEFT-HAND Extra Barrels, VENT RIB						
30″ Full Choke	6200					
28″ Full Choke			6208			
28″ Mod. Choke	6202		6210			
26″ Imp. Cyl. Choke	6204		6212			
Extra Barrels, High Grade						
D Tournament (engraved)			Special order			
F Premier (engraved)			Special order			

TRAP	12 Ga.
Extra Barrels, VENT RIB, Trap	
34″ Full Choke	6340
30″ Full Choke	6242
28″ Full Choke	6244
30″ Mod. Trap Choke	6232
28″ Mod. Trap Choke	6246
LEFT-HAND Extra Barrels, VENT RIB, Trap	
30″ Full Choke	6206
D Tournament (engraved)	Special order
F Premier (engraved)	Special order

SKEET	12 Ga.	20 Ga.	28 Ga.	.410
Extra Barrels, VENT RIB, Trap				
26″ Skeet Choke	6240	6508		
25″ Skeet Choke			6294	6268
Extra Barrels, High Grade				
D Tournament (engraved)		Special order		
F Premier (engraved)		Special order		

*20 gauge 870 Lightweight barrels will not fit 20 gauge standard 870 guns.

SHOTGUNNING SUGGESTIONS

Turkey. Full choke. "Nitro Mag" 2, 4; "Express" BB, 2, 4; close range 5, 6, or 7½.
Geese. Full choke. "Nitro Mag" 2, 4; "Express" BB, 2, 4; Steel-1. No. 4 Lead or No. 2 Steel over decoys.
Pheasant. "Express." Full or Mod. choke. 4 or 5 shot in cornfields or long range; Mod or Imp. Cyl. 6 shot over dogs or in close.
Ducks. Full choke. "Nitro Mag" 4, Steel 2 or "Express" 4, 5 for pass shooting; Mod. choke. "Express' 5, 6, or Steel 4 shot over decoys.
Partridge and grouse. "Shur Shot." Imp. Cyl. or Mod. choke. 7½ or 8 shot for small birds. "Express." Full choke. 5 or 6 shot for Western birds.
Woodcock. "Shur Shot." 8 shot Mod. choke in open cover. Imp. Cyl. heavy cover.
Quail. "Shur Shot," Imp. Cyl. choke. 8 or 9 shot for light feathers. Mod. choke, 7½ or 8 shot for heavy feathers or wild flushing birds.
Doves or pigeons. "Shur Shot." Mod. choke. Use 7½, 8, 9 shot for mourning doves or whitewing: 6, 7½, 8 shot for long range.
Rabbit. "Shur Shot." Imp. Cyl. or Mod. choke for brush, 6 shot for cottontails. "Express." Full choke for open areas: 4, 5 and 6 shot for jack or snowshoe rabbits.
Squirrel. "Express." Mod choke. 5 or 6 shot.

Remington, when you take your game seriously.

Remington shotgun shells come in today's most popular range of gauges, shell lengths, powders and shot sizes.



Choose a **Full choke** for the tightest pattern at the longest distances. Best when shooting 45 to 55 yards away.

A **Modified choke** is less constricted, delivers peak patterns between 25 and 45 yards.

For more open patterns, at distances up to 35 yards, choose an **Improved Cylinder choke.**

SHOT Number	Diam. in Inches	Approx. Pellets in 1 Oz.
12	.05	2385
9	.08	585
8	.09	410
7½	.09½	350
6	.11	225
5	.12	170
4	.13	135
2	.15	90
BB	.18	50

BUCKSHOT Number	Diam. in Inches	Approx. Pellets in 1 Lb.
4	.24	340
3	.25	300
1	.30	175
0	.32	145
00	.33	130